



✓ Make In India

✓ Make In China

✓ Global Services



High Power Battery Charger



China: Yibin factory



Power Adapter



India: Noida Unit 1



Fast Charger



India: Noida Unit 2

WISEPOWER ENTERPRISE INDIA PRIVATE LIMITED

COMPANY PROFILE

WisePower is a professional power supply manufacturer with multinational operations. The core executive team has been working in the power supply industry for nearly 20 years. The company's main products include mobile phone chargers, power adapters, EV chargers, BMS and customized power products. Under the new international situation where the supply chain continues to be increasingly globalized, we provide global customers with high-quality products, timely delivery, and satisfactory service.



📍 | Make In India



📍 | Make In India



📍 | Make In China



📍 | ASM Workshop



📍 | MI Workshop

■ BUSINESS PARTNER

Focus on customer's attention of the challenges and pressures, to provide customers with satisfactory Power supply products and services, and continue to provide customers with the greatest value.



LAVA

SUN
DIRECT



TRANSSION'

SKYWORTH
创维

SERCOM

SMART TV

oraimo

boAt

flex

arcadyan


REVOLT

LUXSHARE ICT

 **VVDN**
TECHNOLOGIES

FOXCONN
富士康科技集团

EQUIPMENT DISPLAY



■ HONORARY CREDENTIAL

More than 30 technical patent quality

Provide efficient and reliable power solutions for global users and create value for customers!



PRODUCT CATALOG

- ◆ Mobile Phone Charger
- ◆ Power Adapter - Indian Plug
- ◆ Power Adapter - Universal Plug
- ◆ High Power Battery Charger
- ◆ POE Power Supply
- ◆ Power Module
- ◆ AC Charging Pile
- ◆ Charging Pile Module & Controller
- ◆ Inverter & Smart Energy Storage



MOBILE PHONE CHARGER

Website: www.mywisepower.com

Mail: sales@mywisepower.com

5V2A Charger



Maximum output power: 10W

Input: 100-240V~50/60Hz

Output: 5V~2A

Model Number: C19

Output Port: USB - A

AC Plug: India

Dimensions: 41.2mm*23.3mm*57.9mm

5V2.4A Charger



Maximum output power: 12W

Input: 100-240V~50/60Hz

Output: 5V~2.4A

Model Number: CZ12

Output Port: 2USB - A

AC Plug: USA, India, China

Dimensions: 48.3mm*40*25.2mm



PD Charger



Maximum output power: 22.5W

Input: 100-240V~50/60Hz

Output: Type-C:5V~3A, 9V~2.5A, 12V~1.8A
USB A:5V~3A, 9V~2.5A, 12V~1.8A
Type-C+USB A:5V~3A (max)

Model Number: EA22

Output Port: Type-C / USB-A + Type-C

AC Plug: USA, India, China

Dimensions: 45.3mm*41mm*29mm

PD Charger



Maximum output power: 20W

Input: 100-240V~50/60Hz

Output: 5V~3A, 9V~2.5A, 12V~1.8A

Model Number: CA20

Output Port: Type -C

AC Plug: USA, India, China

Dimensions: 35mm*28.7mm*42.5mm

MOBILE PHONE CHARGER

Website: www.mywisepower.com

Mail: sales@mywisepower.com

PD Charger



Maximum output power: 33W

Input: 100-240V~50/60Hz

Output: 5V~3A, 9V~3A, 12V~3A, 15V~2A, 20V~1.65A

Model Number: LPD33

Output Port: Type -C

AC Plug: India

Dimensions: 48.7mm*31.2mm*66.8mm

PD Charger



Maximum output power: 65W

Input: 100-240V~50/60Hz

Output: USB-C1+USB-C2:5V=3A,9V=3A,12V=3A,15V=3A,
20V=3.25A,65Wmax, USB-A3:5V=3A,9V=3A,
12V=3A,SCP:5.0V=4.5A,4.5V=5A, 36Wmax,
USB-C2+ USB-A3: 5V=3A
USB-C1+ USB-A3:45W+18Wmax
USB-C1+ USB-C2:20W+45Wmax
USB-C1+ USB-C2+ USB-C3:60Wmax

Model Number: EB65

Output Port: 1 USB -A+ 2 Type -C

AC Plug: USA, India, China

Dimensions: 61mm*31mm*57.5mm

Multi-functional power strips (square)



Insertion row: 2500Wmax

Charger: 20W

Input: 100-240V~50/60Hz

Output: Output A1:5V~2.4A; Output A2: 5V~2.4A;
Output C1:5V~3A,9V~2.22A,12V~1.67A;
Output A1+A2+C1:5V3.4A max;
Output A1+A2:5V3.4A;

Model Number: FA01

Output Port: 2 USB -A+ 1 Type -C

AC Plug: India

Dimensions: 75mm*75mm*75mm

Multi-functional power strips (Strips)



Insertion row : 2500Wmax

Charger: 15W

Input: 100-240V~50/60Hz

Output: Output A1:5V~3.1Amax;
Output A2:5V~3.1Amax;
Output C1:5V~3.1A;
Output A1+A2+C1:5V~3.1A max;

Model Number: RB01

Output Port: 2 USB -A+ 1 Type -C

AC Plug: India

Dimensions: 308mm*58mm*30mm

POWER ADAPTER - INDIAN PLUG

Website: www.mywisepower.com
Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 12W

Product Series: A5F

Input: 90V-270V~50/60Hz

Output: 12V=0.5A/12V=1A/5V=2A OVP Optional

AC Plug: India

Dimensions: 61.7mm*24.8mm*33.7mm

Power Adapter



Maximum output power: 12W

Product Series: 4DGF

Input: 90V-270V~50/60Hz

Output: 12V=1A/5V=2A OVP Optional

AC Plug: India

Dimensions: 61.7mm*42mm*47mm

POWER ADAPTER - INDIAN PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 18W

Product Series: A9FI

Input: 90V-270V~50/60Hz

Output: 12V=1.5A OVP Optional

AC Plug: India

Dimensions: 63mm*42mm*45.2mm

Power Adapter



Maximum output power: 18W

Product Series: AW18

Input: 90V-270V~50/60Hz

Output: 12V=1.5A OVP Optional

AC Plug: India

Dimensions: 73.6mm*45mm*31.5mm

POWER ADAPTER - INDIAN PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 24W

Product Series: AW24

Input: 90V-270V~50/60Hz

Output: 12V~1.5A/12V~2A OVP Optional

AC Plug: India

Dimensions: 73.6mm*45mm*31.5mm

Power Adapter



Maximum output power: 24W

Product Series: A10FI

Input: 90V-270V~50/60Hz

Output: 12V~2A OVP Optional

AC Plug: India

Dimensions: 63mm*42mm*45.2mm

POWER ADAPTER - INDIAN PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 30W

Product Series: AW30

Input: 90V-270V~50/60Hz

Output: 12V~2.5A/12V~2A OVP Optional

AC Plug: India

Dimensions: 73.6mm*45mm*31.5mm

Power Adapter



Maximum output power: 36W

Product Series: AW36

Input: 90V-270V~50/60Hz

Output: 12V~2.5A/12V~3A OVP Optional

AC Plug: India

Dimensions: 73.6mm*45mm*31.5mm

POWER ADAPTER - INDIAN PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 36W

Product Series: AN36

Input: 90V-270V~50/60Hz

Output: 12V=2A/12V=2.5A/12V=3A OVP Optional

AC Plug: BIS, 2PIN and 3PIN

Dimensions: 90mm*53.9mm*40mm

Power Adapter



Maximum output power: 42W

Product Series: AN42

Input: 90V-270V~50/60Hz

Output: 12V=3A/12V=3.5A OVP Optional

AC Plug: BIS, 2PIN and 3PIN

Dimensions: 90mm*53.9mm*40mm

POWER ADAPTER - UNIVERSAL PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com



Power Adapter



Maximum output power: 12W

Model Number: A12F

Input: 100-240V~50/60Hz

Output: 12V~0.5A/12V~1A/5V~2A

AC Plug: CCC/US/EU/UK

Dimensions: 60.6mm*29.1mm*40mm

Power Adapter



Maximum output power: 18W

Model Number: A18

Input: 100-240V~50/60Hz

Output: 12V~1.5A/5V~3A/24V~0.5A

AC Plug: CCC/US/EU/UK


Dimensions: 60.6mm*29.1mm*40mm

POWER ADAPTER - UNIVERSAL PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 24W

Model Number: AK24

Input: 100-240V~50/60Hz

Output: 12V~2A/24V~1A/15V~1.5A

AC Plug: CCC/US/EU

Dimensions: 69mm*39mm*28.9mm

Power Adapter



Maximum output power: 36W

Model Number: AU36

Input: 100-240V~50/60Hz

Output: 12V~2.5A/12V~3A

AC Plug: CCC/US/EU

Dimensions: 75.5mm*35mm*50.76mm

POWER ADAPTER - UNIVERSAL PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 45W

Model Number: DF45

Input: 100-240V~50/60Hz

Output: 19V~2.37A/20V~2.25A

AC Plug: CCC/US/EU/AU/India

Dimensions: 59mm*59mm*29.2mm

Power Adapter



Maximum output power: 65W

Model Number: DI65

Input: 100-240V~50/60Hz

Output: 5V~3A, 9V~3A, 12V~3A, 15V~3A, 20V~3.25A

AC Plug: CCC/US/EU/AU/India

Dimensions: 102mm*47.5mm*30mm

POWER ADAPTER - UNIVERSAL PLUG

Website: www.mywisepower.com

Mail: sales@mywisepower.com

Power Adapter



Maximum output power: 60W

Model Number: AP60

Input: 100-240V~50/60Hz

Output: 12V=4A/12V=5A/54V=1.2A/42V=1A

AC Plug: CCC/US/EU/AU/India

Dimensions: 121mm*54mm*31.6mm

Power Adapter



Maximum output power: 100W

Model Number: AV100

Input: 100-240V~50/60Hz

Output: 20V=5A/19V=4.47A

AC Plug: CCC/US/EU/AU/India

Dimensions: 139.2mm*59.4mm*34.2mm

HIGH POWER BATTERY CHARGER

Website: www.mywisepower.com

Mail: sales@mywisepower.com

High Power Battery Charger



Maximum output power: 350W

Model Number: E35

Input: 90-276V~50/60Hz

Output: 58V=6A/69V=5A/84V=4A

AC Plug: US/EU/UK/AU/India

Dimensions: 180mm*106mm*53mm

High Power Battery Charger



Maximum output power: 580W

Model Number: E58

Input: 90-276V~50/60Hz

Output: 58V=10A/69V=8A/84V=7A

AC Plug: US/EU/UK/AU/India

Dimensions: 180mm*106mm*53mm

HIGH POWER BATTERY CHARGER

Website: www.mywisepower.com

Mail: sales@mywisepower.com

High Power Battery Charger



Maximum output power: 750W

Model Number: E75

Input: 90-276V~50/60Hz

Output: 58V=15A/69V=13A/84V=11A

AC Plug: US/EU/UK/AU/India

Dimensions: 189mm*114mm*66mm

High Power Battery Charger



Maximum output power: 1000W

Model Number: E100

Input: 90-276V~50/60Hz

Output: 58V=18A/69V=14A/84V=12A

AC Plug: US/EU/UK/AU/India

Dimensions: 234mm*127mm*72.8mm

HIGH POWER BATTERY CHARGER

Website: www.mywisepower.com

Mail: sales@mywisepower.com



High Power Battery Charger



Maximum output power: 1500W

Model Number: E150

Input: 90-276V~50/60Hz

Output: 58V=25A/69V=21A/84V=17A

AC Plug: US/EU/UK/AU/India

Dimensions: 234mm*127mm*72.8mm

High Power Battery Charger



Maximum output power: 3300W

Model Number: E330


Input: 90-276V~50/60Hz

Output: 58V=56A/69V=47A/84V=38A

AC Plug: US/EU/UK/AU/India

Dimensions: 300mm*120mm*40mm

PA12/PA17



Maximum output power: 15W

Model Number: PA12/PA17


Input: 100-240V~50/60Hz

Output: 48V~0.2A/48V~0.25A/48V~0.35A, 100M, 1000M

AC Plug: US/India

Dimensions: 82.7mm*30.5mm*47mm

PD45-1



Maximum output power: 45W

Model Number: PD45-1

Input: 90-270Vac~50/60Hz 1.5A

Output: 12V~2.5A 30WMax/54V~0.28A 15WMax

AC Plug: US/EU/UK/AU/India

Dimensions: 144mm*55mm*40mm

POE65W



Maximum output power: 65W

Model Number: POE65W

Input: 90-270Vac~50/60Hz 1.5A

Output: 12V~2.9A 35WMax/54V~0.56A 30WMax

AC Plug: US/EU/UK/AU/India

Dimensions: 144mm*55mm*40mm

POE87W



Maximum output power: 87W

Model Number: POE87W

Input: 90-270Vac~50/60Hz 1.5A

Output: 12V~3.5A 42WMax/54V~0.833A 45WMax

AC Plug: US/EU/UK/AU/India

Dimensions: 184.4mm*66.4mm*40mm

POWER MODULE

Website: www.mywisepower.com

Mail: sales@mywisepower.com

30W DC-DC POWER ADAPTER



Maximum output power: 30W

Model Number: D30W-1225A01

Input: 40-160V~50/60Hz

Output: 12V=2.5A

Dimensions: 121mm*53mm*34mm

AC-DC POWER ADAPTER



Maximum output power: 12W

Model Number: CDF12

Input: 100-240V~50/60Hz

Output: 3.3V=2.0A, 5V=2.0A, 9V=1.0A, 12V=1.0A
15V=0.5A, 24V=0.5A

Dimensions: 39mm*25mm*21mm

AC CHARGING PILE

Website: www.mywisepower.com

Mail: sales@mywisepower.com

3.5KW AC CHARGING PILE



Maximum output power: 3.5KW

Model Number: WSPAC220-3500-EU01

Input: 220Vac±10%~50/60Hz

Output: 16A max

AC Plug: US/EU/UK/AU/India

7KW AC CHARGING PILE



Maximum output power: 7KW

Model Number: WSPAC220-7000-EU01

Input: 220Vac±10%~50/60Hz

Output: 32A max

AC Plug: US/EU/UK/AU/India

CHARGING PILE MODULE & CONTROLLER

Website: www.mywisepower.com

Mail: sales@mywisepower.com

30KW DC POWER MODULE



Maximum output power: 30KW

Output Voltage: 200Vdc~1000Vdc

Output current: 100A max

Dimensions: 850mm*300mm*460mm

EV CHARGING CONTROLLER



Power: 30KW~480KW

Input Voltage: 12V

Input Current: $\geq 1.5A$

Dimensions: 186mm*106mm

INVERTER & SMART ENERGY STORAGE

Website: www.mywisepower.com
Mail: sales@mywisepower.com

OFF-GRID INVERTER



Model: 3500/5000

Battery

Rated Voltage: 51.2V

Voltage Range: 44.8~57.6V

Max. Charge Current: 80A

AC Output (Backup)

Rated Power: 3500W/5000W

Output Voltage: 208/220/230/240V

Output Frequency: 50/60Hz

Max Output Current: 16A/22.7A

Rated Current: 15.2A/21.7A

AC Input

AC Input Voltage Range: 154~264V

Rated Input Voltage: 208/220/230/240V

AC input frequency: 50/60Hz (Auto Adaptive)

PV Input

Max PV Input Power: 4500W/5500W

Max. PV Input Voltage: 450V

MPPT Voltage Range: 120~430V

Max. DC Input Current: 18A

Max. DC Shorr Circuit Current: 20A

OFF-GRID ENERGY STORAGE SYSTEM



Model: 3500/5000

Battery

Rated Voltage: 51.2V

Voltage Range: 44.8~57.6V

Capacity: 10.24kWh

Max. Charge Current: 80A

AC Output (Backup)

Rated Power: 3500W/5000W

Rated output voltage: 208/220/230/240V

Max. output current: 16A/22.7A

Rated Current: 15.2A/21.7A

Rated frequency: 50/60Hz

AC Input

AC Input Voltage Range: 154~264V

Rated Input Voltage: 208/220/230/240V

AC input frequency: 50/60Hz (Auto Adaptive)

PV Input

Max PV Input Power: 4500W/6000W

Max. PV Input Voltage: 450V

MPPT Voltage Range: 120~430V

Max. DC Input Current: 18A

Max. DC Shorr Circuit Current: 20A

The background is a solid light blue color. It features several semi-transparent, light blue squares of various sizes scattered across the frame. At the bottom, there are white, wavy, concentric lines that create a sense of depth and movement, resembling a stylized horizon or a network of connections.

Thank you

Website: www.mywisepower.com | Mail: sales@mywisepower.com



Enterprise vision

Continue to build a professional team, establish efficient processes, improve core technology, and provide customers with top products and services.



Enterprise Mission

Contribute to the efficient and convenient use of green energy for human beings and create value for customers.



Core Values

Conscientiousness, Agility, Collaboration, Diligence

INDIA:

 **WISEPOWER ENTERPRISE INDIA PRIVATE LIMITED**

 www.mywisepower.com

 sales@mywisepower.com

 Unit 1: A-22, Sector-64, Noida, Gautam Buddha Nagar, Uttar Pradesh Noida 201301 India

 Unit 2: Plot No.-29, Sector-140, Noida (UP) India

 +91 9910631888

CHINA:

 **SHENZHEN WASP INNOVATION CO.,LTD.**

 www.mywisepower.com.cn

 sales@mywisepower.com

 Shenzhen Factory: Room 302, Building A1, Tianrui Industrial Park, No.35 Fuyuan 1st Road, Xinhe Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong P.R. China

 Yibin Factory: Building 8, Zone B, Intelligent Terminal Industrial Park, Changjiang Industrial Park, Songjia Town, Sanjiang new District, Yibin city, Sichuan P.R. China

 +86 075586527890